

BELSIL® RG 100



Elastomer Gels (INCI)

BELSIL® RG 100 elastomer gel is an organosiloxane polymer dispersed in cyclopentasiloxane. It is a semitransparent gel that functions as a thickener in formulations while delivering smooth applications. Under shear stress BELSIL® RG 100 thins and allows easy incorporation of cosmetic ingredients like pigments.

BELSIL® RG 100 is easy to distribute on skin and gives a nice, non-greasy, silky skin feel. Evaporation of the volatile silicones leave a non-tacky film, which improves the water resistance of formulations.

INCI Cyclopentasiloxane, Dimethicone/Vinyltrimethylsiloxysilicate Crosspolymer

Technical data

General Characteristics

Property	Condition	Value	Method
Appearance	-	creamy, semitransparent	-
Density	-	0.96 g/cm ³	-
Elastomer Content	-	~ 20 %	-
Flash point	-	76 °C	ASTM D3278, DIN 55680, ISO 3679
INCI name	-	Cyclopentasiloxane, Dimethicone/Vinyltrimethylsiloxysilicate Crosspolymer	-
Viscosity, dynamic	25.0 °C	125000 mPa·s	-

These figures are only intended as a guide and should not be used in preparing specifications.

All the information provided is in accordance with the present state of our knowledge. Nonetheless, we disclaim any warranty or liability whatsoever and reserve the right, at any time, to effect technical alterations. The information provided, as well as the product's fitness for an intended application, should be checked by the buyer in preliminary trials. Contractual terms and conditions always take precedence. This disclaimer of warranty and liability also applies particularly in foreign countries with respect to third parties' rights.

Applications

- Skin Care
- Make-up Foundation
- Eye Make-up
- Sun Care
- Lip Make-up

Application details

The viscosity may increase during storage, and agitation may be required before use if stored for an extended period of time.

BELSIL® RG 100 is a non-emulsifying elastomer gel that is supplied as a 20% active solution in cyclopentasiloxane. It provides a substantive hydrophobic film, making it ideal for use in sun care formulations. In lipsticks and foundations, it improves transfer resistance. It also can add a cushiony feel to powder formulations. BELSIL® RG 100 makes cosmetics easier to apply by adding lubricity. It can be used to thicken the oil phase of emulsions or anhydrous cosmetic formulations. The viscosity may increase during storage, and agitation may be required before use if stored for an extended period of time.

Packaging and storage

Storage

The "Best use before end date" of each batch is shown on the Certificate of Analysis.

Storage beyond the date specified on the Certificate of Analysis does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

Safety notes

For specific information regarding safe handling of this material, please refer to the Safety Data Sheet.

QR Code BELSIL® RG 100



For technical, quality or product safety questions, please contact:

Wacker Chemie AG, Hanns-Seidel-Platz 4, 81737 Munich, Germany
info@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.