

GENIOSIL[®] PTM


GENIOSIL[®]

Silanes

Phenyltrimethoxysilane

GENIOSIL[®] PTM is a clear, colorless liquid.

CAS No. 2996-92-1 | Empirical formula C₉H₁₄O₃Si | Molecular weight 198,29



Properties

GENIOSIL[®] PTM is an alkoxyarylsilane. In the presence of moisture silanols are formed by hydrolysis (methanol is released), which can then react to form siloxanes.

Applications

- Adhesives
- Building & Construction Adhesives
- Chemical Industry
- Composites
- Industrial Adhesives
- Industrial Coatings
- Primers for Paints & Coatings
- Sealants
- Thermoplastics & Elastomers

Application details

In silane-crosslinking formulations, (e.g. silane-terminated polyethers , polyurethanes or polysiloxanes), GENIOSIL® PTM is mixed into the formulation as an additive to prevent premature crosslinking due to trace moisture. Processing is effected by means of standard mixing methods (e.g. paddle agitator, dissolver, kneader). GENIOSIL® PTM may be added before or during incorporation of the reactive polymer. The amount added will depend on the water content and pretreatment of the components, up to 2,5 wt.% are typically used. GENIOSIL® PTM as water scavenger during the production of silane-crosslinking adhesive and sealant formulations is particularly characterized by its high flash point and by being virtually odorless.

Packaging and storage

Packaging

Information on available container sizes is obtainable from WACKER subsidiaries.

Storage

The 'Best use before end' date of each batch is shown on the product label. Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site <http://www.wacker.com>.

QR Code GENIOSIL® PTM



For technical, quality or product safety questions, please contact:

Wacker Chemie AG, Hanns-Seidel-Platz 4, 81737 Munich, Germany
productinformation@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.