

SILRES® WH 101 A



Silicone Resin Emulsions

SILRES WH 101 A is a water reducible, solvent free, emulsion of a functional silicone resin.

Applied as-is or as a formulated product to serve as a water repellent treatment. SILRES WH 101 A improves substrate longevity when applied over wood or many other materials.

Properties

- water based
- produces an eye catching water beading effect
- significantly reduces capillary water absorption
- in a clear system, product is UV transparent, wood will gray from exposure
- reduces harmful effects caused by water uptake
- can be used over metals, concrete or other substrates

Applications

- Agricultural Solutions
- Architectural Coatings
- Boards & Panels
- Construction Materials
- Exterior Paints & Coatings
- Hydrophobic Impregnation
- Industrial Coatings
- Marine & Protective Coatings
- Sealants
- Surface Care
- Surface Treatment
- Weather Barrier Coatings

- Wood Applications
- Wood Processing

Application details

Stir or shake well before applying.

SILRES WH 101 A may be applied as-is or diluted up to 1:2 with water. Apply with brush, roller or non-atomizing sprayer such as a garden sprayer. Apply enough product to thoroughly cover the surface.

An in-can preservative is recommended for a formulated product that will be stored for any period of time.

Packaging and storage

Storage

The "Best use before end date" of each batch is shown on the Certificate of Analysis. Storage beyond the date specified on the Certificate of Analysis does not necessarily mean that the product is no longer usable.

In this case however, the properties required for the intended use must be checked for quality assurance reasons.

Protect from freezing.

Safety notes

For specific information regarding safe handling of this material, please refer to the Safety Data Sheet.

QR Code SILRES® WH 101 A



For technical, quality or product safety questions, please contact:

Wacker Chemie AG, Hanns-Seidel-Platz 4, 81737 Munich, Germany
productinformation@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.