

# LIOSIL<sup>®</sup> TS 50 E

## Silicone Fluid Emulsions, functional

LIOSIL<sup>®</sup> TS 50 E is a microemulsion of a functional silicone fluid that was developed specially as a softener for the tissue industry. LIOSIL<sup>®</sup> TS 50 E contains aloe vera, vitamin E and additionally a WACKER SILFOAM<sup>®</sup> antifoam agent.

### Properties

Owing to its special structure and orientation on cellulose fibers, LIOSIL<sup>®</sup> TS 50 E is characterized by an excellent soft hand and a very good hydrophilicity.

- excellent soft hand combined with very good hydrophilicity
- very easily dilutable with water
- high substantivity on cellulose fibers
- microemulsion
- very good bulk softness

## Technical data

### General Characteristics

Property	Condition	Value	Method
Solids content	-	approx. 33 %	microwave
Density	25 °C   1013 hPa	approx. 1 g/cm <sup>3</sup>	-
Solubility in water	completely miscible	-	-
Viscosity, dynamic	25 °C	approx. 20 mPa·s	Brookfield
pH	23 °C	approx. 5	Indicator strips

These figures are only intended as a guide and should not be used in preparing specifications.

All the information provided is in accordance with the present state of our knowledge. Nonetheless, we disclaim any warranty or liability whatsoever and reserve the right, at any time, to effect technical alterations. The information provided, as well as the product's fitness for an intended application, should be checked by the buyer in preliminary trials. Contractual terms and conditions always take precedence. This disclaimer of warranty and liability also applies particularly in foreign countries with respect to third parties' rights.

## Applications

- Tissue

### Application details

The product amount should be tailored to the particular tissue being used. Typically the amount of product applied on the tissue is in the range from 1 and 5 g/m<sup>2</sup>. For the application of LIOSIL® TS 50 E common technologies like roll coating, slot coating, spraying, or rotor damping systems are recommended. Aerosol formation has to be avoided. In case of aerosol formation special protective measures are required (see material safety data sheet).

The use of the emulsion is recommended for all conventional tissue types such as toilet paper, facial tissue, handkerchiefs or cosmetic wipes, which may benefit from a certain soft feel. The emulsion can be combined with other organic softeners, too, provided an adequate compatibility test has been performed. LIOSIL® TS 50 E includes defoamer. Any deposits are reversible via stirring.

## Packaging and storage

### Storage

The 'Best use before end' date of each batch is shown on the product label. Storage beyond the date specified on the label does not necessarily mean that the product is no longer usable. In this case however, the properties required for the intended use must be checked for quality assurance reasons.

## Safety notes

Comprehensive instructions are given in the corresponding Material Safety Data Sheets. They are available on request from WACKER subsidiaries or may be printed via WACKER web site <http://www.wacker.com>.

## QR Code LIOSIL® TS 50 E



**For technical, quality or product safety questions, please contact:**

**Wacker Chemie AG**, Hanns-Seidel-Platz 4, 81737 Munich, Germany  
info@wacker.com, www.wacker.com

The data presented in this medium are in accordance with the present state of our knowledge but do not absolve the user from carefully checking all supplies immediately on receipt. We reserve the right to alter product constants within the scope of technical progress or new developments. The recommendations made in this medium should be checked by preliminary trials because of conditions during processing over which we have no control, especially where other companies' raw materials are also being used. The information provided by us does not absolve the user from the obligation of investigating the possibility of infringement of third parties' rights and, if necessary, clarifying the position. Recommendations for use do not constitute a warranty, either express or implied, of the fitness or suitability of the product for a particular purpose.